



MATERIAL SAFETY DATA SHEET

This MSDS has been written in accordance with the European Union Council Directive 98/24/EC of 7th April on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual directive within the meaning of Article 16(1) of the Directive 89/391/EEC). Commission Directive 2001/58/EC of 27th July 2001 amending for the second time Directive 91/155/EEC defining and laying down the detailed arrangements for the system of information relating to dangerous preparations in implementation of Article 14 of the European Parliament Directive 1999/45/EC and relating to dangerous substances in Implementation of Article 27 of Council Directive 67/548/EEC (safety data sheets).

1. Identification of the product and the establishment

Virus Name: Viral RNA extracts from positive sense, non-segmented RNA viruses

NCPV Catalogue Number: Not applicable

Volume: Various

Contact: **Culture Collections**
Public Health England
Porton Down, Wiltshire
United Kingdom. SP4 0JG
Telephone +44 (01980) 612512
Fax + 44 (01980) 611315
Email: culturecollections@phe.gov.uk

2. Physical and Chemical properties and information on ingredients

Appearance: Clear liquid.
Solid/liquid/gas: Frozen liquid.
Additional Components: AVE extraction buffer (Qiagen).
Other Properties: None

3. Hazards identification

Biological hazards

This material is extracted from an ACDP Hazard Group (Bio-safety level) 2 or Hazard Group 3 virus. There is no evidence that it is infectious, but should be handled using standard microbiological practices. A laboratory coat, latex or nitrile gloves, and eye protection should be worn.

The relevant Data Sheet includes any specific instructions that may pertain to the biohazard potential of this pathogen and that should be considered by the user when performing a risk assessment.



Health Effects:

Eyes: Not known.

Skin: Not known.

Ingestion: Not known.

Inhalation: Not known.

Physical Hazards

It is recommended that persons handling this material should wear a laboratory overall, protective glasses and protective gloves.

This sheet does not constitute an assessment as required by the Control of Substances Hazardous to Health Regulations 2002 (as amended). The information contained in this publication is given in good faith and is accurate to the best of our knowledge.

4. First aid measures

If accidental contact with material occurs laboratory staff must follow the local first aid procedures that are normally applied following exposure to organisms of ACDP Hazard Group 2.

Eyes: Irrigate with physiological saline or water. Seek medical advice immediately.

Skin: Wash thoroughly with soap and water. Seek medical advice immediately.

Ingestion: Seek medical advice immediately.

Inhalation: Seek medical advice immediately.

5. Fire fighting measures

Extinguisher medium: N/A

Unsuitable Extinguisher medium: N/A

Protective equipment for fire fighting: N/A


6. Accidental release measures

Personal precautions: Avoid direct contact with the material. Do not open the primary containers unless authorized to do so. Wear a laboratory overall, disposable protective gloves and safety glasses.

Environmental precautions: If spillage occurs place absorbent material over the spillage to saturate and leave for 30 minutes prior to cleaning and disposal. The preferred disinfectant is 10% v/v sodium hypochlorite (10,000 parts per million available chlorine). This should not be used in combination with other disinfectants. See your local risk assessment or contact the manufacturer of the disinfectant for additional information.

7. Handling and storage

Handling: Personal protective equipment comprised of laboratory coat, disposable protective gloves and safety glasses should be worn when handling. Product should be handled under ACDP Containment Level 2 conditions.



Storage: Store package in a well ventilated area as it contains Cardice (solid carbon dioxide).

Detailed discussions of laboratory safety procedures are provided in: "Laboratory Safety: Principles and Practice" (Fleming, et al, 1995), and in the U.S. Government Publication, "Bio-safety in Microbiological and Biomedical Laboratories" (CDC, 2009). This publication is available on the Center for Disease Control, Office of Health and Safety's web site: www.cdc.gov/biosafety/publications/bmbl5/index.htm

8. Exposure controls/personal protection

Engineering control measures: Personal protective equipment comprised of laboratory coat, disposable gloves and safety glasses should be worn.

Respiratory protection: Avoid aerosol production and inhalation.

Hand Protection: wear protective gloves at all times.

Eye protection: wear safety glasses at all times.

9. Stability and reactivity

Reactivity data: Stable.

Conditions to avoid: Exposure of package to direct heat.

Hazardous decomposition products: Cardice will sublime to gaseous carbon dioxide.

10. Toxicological information

Infection of positive-sense RNA would require assisted entry into a living host cell e.g. electroporation or transfection, and even then may not trigger a replication cycle due to innate immunity. There is no evidence that this material presents any actual biological hazard, but Containment Level 2 practices are recommended.

11. Ecological information

Mobility: N/A


Persistence / degradability: N/A

Bioaccumulation: N/A

Ecotoxicity: N/A

12. Disposal considerations

Disinfection with 10% v/v sodium hypochlorite is recommended prior to disposal. Follow all national, regional and local regulations. The UK Environmental Protection Act 1990 applies.



13. **Transport Information**

Additional information arising from the Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2007:

UN nos: 1845 and 3373 / 2814 / 2900
Packing Instruction: PI 650 (UN3373) or PI 620 (UN2814; UN2900)

14. **Regulatory information**

Material extracted from certain organisms is covered by UK and international legislation.

For agents covered by the Health & Safety Executive Specified Animal Pathogen Order, a SAPO holding licence is required for transfer to another laboratory.

For certain agents, an export licence is required if these agents are shipped outside the EU (1C351a31 of Annex 1 to the EC regulations).

I confirm that all necessary licenses required for the consignment of this material are in place and the recipient is able to safely handle the material.

Print name: K. BUTTIGIEG **Sign:**  **Date:** 6/8/15

15. **Further information**

It is recommended that persons using this substance or material are fully acquainted with the hazards/safety in use procedures before handling. This data sheet does not constitute an assessment as required by the Control of Substances Hazardous to Health Regulations 2002 (as amended). The information contained in this publication is given in good faith and is accurate to the best of our knowledge and belief.

The copy of a signed MSDS form must accompany every product on first supply and any important changes notified to recipients up to 2 years following supply.

Completed by NCPV representative:

Name: Karen Buttigieg

Signature: 

Date: 06/08/2015

Checked by Divisional Safety Officer:

Name: ROB PACKER

Signature: 

Date: 6.8.15